


Sliding Doors

DOUBLE Leaf type

Double Leaf Sliding doors for Operation Rooms:



Dimensions	
Indicator	Dimension
LV	1000-2100 mm
PV	2100 mm (Standard)

Technical Data	
Control Method	<ul style="list-style-type: none"> - Automatic door - Manual door
Door Leaf material finish	<ul style="list-style-type: none"> - Stainless Steel AISI 304 - High Pressure Laminate (HPL); according to standard colors chart - Glass; evaluated per case and dimension
Frame material finish	<ul style="list-style-type: none"> - Anodized Aluminum (Standard) - Stainless steel finish - RAL color finish powder coating; according to standard colors chart
Sealing	<ul style="list-style-type: none"> - Non-hermetic; with floor brushes/simple gaskets
Door Handle(s)	<ul style="list-style-type: none"> - Bow/C-shape Stainless steel handle - Lifting stainless steel handle; for hermetic sealing doors - Flush/recessed stainless steel handles; rectangular or oval shape
Viewing Windows	Dimensions: <ul style="list-style-type: none"> - 600x400 mm - 400x400 mm Blinds: <ul style="list-style-type: none"> - Automatic Venetian blinds - Manual Venetian blinds - Smart/Switch glass
Lead lining/X-ray protection	<ul style="list-style-type: none"> - 1mm lead lining - 2 mm lead lining - Other thicknesses available; evaluated per case
Other Accessories (on demand)	<ul style="list-style-type: none"> - Wave switches/ touchless switches - Elbow switches - Foot switches - Control modules - Safety sensors - Battery for power outage; for hermetic sealing option
Origin	EU

General Sliding doors:

Transforma also provides a wide range of sliding doors for general areas in the hospital; such as main entrances and department entrances:

Available compositions:

- Glass sliding doors double leaf
- Glass sliding + folding doors
- HPL + Glass sliding doors double leaf

*Panic/breakout option available for general sliding doors

